

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-14. (Canceled)

15. (Previously Presented) An electronic camera that creates an image file, which is a JPEG file, by processing image data obtained through an image-capturing operation, comprising:

an image-capturing unit that generates the image data by capturing a subject image;

an image compression unit that generates compressed data by executing image compression on the image data generated by the image-capturing unit, the compressed data including RST marker codes;

a data extraction unit that sets an image plane range corresponding to an image portion of the image data, selects data corresponding to the image plane range from the compressed data based upon the RST marker codes, and extracts the selected data as data of the image portion;

a data insertion unit that writes compressed data of a predetermined specific image over the data corresponding to the image plane range of the compressed data and generates data of a processed image; and

a file creation unit that creates the image file by storing the data of the processed image into a frame, which is an image area of the JPEG file and is referenced as image data, and storing the data of the image portion into an application segment, which is a non-image area of the JPEG file and is not referenced as image data, wherein:

the file creation unit includes an encryption unit that encrypts the data of the image portion and stores the data encrypted by the encryption unit into the non-image area.

16. (Previously Presented) An electronic camera that creates an image file, which is a JPEG file, by processing image data obtained through an image-capturing operation, comprising:

an image-capturing unit that generates the image data by capturing a subject image;

an image compression unit that generates compressed data by executing image compression on the image data generated by the image-capturing unit;

a marker code insertion unit that inserts RST marker codes, which indicate positions within an image plane in the image data, into the compressed data generated by the image compression unit;

a data extraction unit that sets an image plane range corresponding to an image portion of the image data, selects data corresponding to the image plane range from the compressed data based upon the RST marker codes, and extracts the selected data as data of the image portion;

a data insertion unit that writes compressed data of a predetermined specific image over the data corresponding to the image plane range of the compressed data and generates data of a processed image; and

a file creation unit that creates the image file by storing the data of the processed image into a frame, which is an image area of the JPEG file and is referenced as image data, and storing the data of the image portion into an application segment, which is non-image area of the JPEG file and is not referenced as image data, wherein:

the file creation unit includes an encryption unit that encrypts the data of the image portion and stores the data encrypted by the encryption unit into the non-image area.

17. (Previously Presented) An electronic camera according to claim 15, wherein: the predetermined specific image includes information related to copyright.

18. (Previously Presented) An electronic camera according to claim 16, wherein:  
the predetermined specific image includes information related to copyright.
19. (Previously Presented) An electronic camera according to claim 15, wherein:  
the predetermined specific image includes at least information indicating a  
photographer name or a photographing data/time.
20. (Previously Presented) An electronic camera according to claim 16, wherein:  
the predetermined specific image includes at least information indicating a  
photographer name or a photographing date/time.
21. (Previously Presented) An image processing method for restoring an image  
comprising steps of:  
obtaining the image file that is the JPEG file and is created in an electronic  
camera according to claim 15;  
reading out the data of the processed image including the RST marker codes  
from the frame of the JPEG file;  
reading out the encrypted data of the image portion from the application  
segment of the JPEG file;  
obtaining the data of the image portion by decrypting the encrypted data of the  
image portion;  
specifying the compressed data of the predetermined specific image in the data  
of the processed image based upon the RST marker codes included in the data of the  
processed image; and  
writing the data of the image portion over the specified compressed data of the  
predetermined specific image.

22. (Previously Presented) A computer-readable medium having an image processing program for restoring an image, the image processing program comprising instructions codes of:

obtaining the image file that is the JPEG file and is created in an electronic camera according to claim 15;

reading out the data of the processed image including the RST marker codes from the frame of the JPEG file;

reading out the encrypted data of the image portion from the application segment of the JPEG file;

obtaining the data of the image portion by decrypting the encrypted data of the image portion;

specifying the compressed data of the predetermined specific image in the data of the processed image based upon the RST marker codes included in the data of the processed image; and

writing the data of the image portion over the specified compressed data of the predetermined specific image.

23. (Canceled)

24. (Previously Presented) An electronic camera according to claim 15, wherein:  
the data insertion unit generates a semitransparent specific image as the predetermined specific image by adding pixels corresponding to the specific image and pixels corresponding to the image portion at a predetermined ratio, and writes data of the semitransparent specific image over the image plane range of the image data to generate the data of the processed image.

25. (Previously Presented) An electronic camera according to claim 16, wherein:

the data insertion unit generates a semitransparent specific image as the predetermined specific image by adding pixels corresponding to the specific image and pixels corresponding to the image portion at a predetermined ratio, and writes data of the semitransparent specific image over the image plane range of the image data to generate the data of the processed image.